



CURVE - 1 DIMENSIONS (FEET)

R/W	A	B	C	D	Δ	CURB						PROPERTY LINE P_L					
						R	L	T	a'	b'	c'	R	L	T	a'	b'	c'
56	28	20	8	68.15	29°35'31"	100	51.65	26.41	33.04	49.38	51.08	92	51.65	26.41	33.04	49.38	51.08
60	30	20	10	68.15	29°35'31"	100	51.65	26.41	33.04	49.38	51.08	90	51.65	26.41	33.04	49.38	51.08

CURVE - 2 DIMENSIONS (FEET)

56	28	20	8	68.15	239°11'02"	38	158.63	NA	NA	NA	NA	46	192.03	NA	NA	NA	NA
60	30	20	10	68.15	239°11'02"	38	158.63	NA	NA	NA	NA	48	200.38	NA	NA	NA	NA

*** NOTES:**

1. IN THE CASE WHERE A CUL-DE-SAC BACKS INTO A STREET OR HIGHWAY AND DRAINS TOWARD IT, A COVERED DRAIN SHALL BE PROVIDED THROUGH A DRAINAGE EASEMENT A MINIMUM OF 2 FEET WIDER THAN THE DRAIN AS SHOWN IN PLAN ABOVE.
2. PLANS SHALL INCLUDE ALL INFORMATION PERTINENT TO THE DRAIN. THE EXACT LOCATION, SIZE, REINFORCEMENT, EASEMENT, FLOWLINES, CURB FACE OPENINGS, LOCAL DEPRESSIONS, CAPACITIES, ETC.



CUL-DE-SAC STREET

APPROVED:

[Signature]
CITY ENGINEER

DATE: 10-15-2013

STD. PLAN NUMBER

115-0

SHEET 1 OF 1